

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Panchayat Raj & Rural Development Department - Certain irregularities in the execution of the work "Providing of Cisterns on GLSR Tanks in Weaker Sections' Colony at Kallur Gram Panchayat" - Charges framed against Sri D. Abdul Salam, former AE, RWS, Kallur and Sri C. Kishan Kumar, Ex. Executive Officer, Gram Panchayat, Kallur - Disciplinary Proceedings initiated by framing charges, under Rule 20 of Andhra Pradesh Civil Service (C, C & A), Rules, 1991 – Enquiry Officer and Presenting Officer appointed – Change of Enquiry Officer and Presenting Officer - Revised Orders - Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O. Rt. No. 717

Dated: 9-5-2011.

Read the following:

1. G.O.Rt.No.1824, PR&RD(VIG.II)Department, Dated:30.11.2010.
2. G.O.Rt.No.1826, PR&RD(VIG.II)Department, Dated:1.12.2010.
3. From the ENC, PR, Hyd., Lr. No.Vig.I(4)/10847/02, Dt:30.3.2011.

>>>>>

ORDER:

In the reference 2nd read above, orders were issued appointing the Superintending Engineer, Panchayat Raj, Kurnool as Enquiry Officer, under Rule 20(2) of Andhra Pradesh Civil Service (C,C&A) Rules, 1991, for conducting Departmental Enquiry against Sri D. Abdul Salam, former AE, RWS, Kallur and Sri C. Kishan Kumar, Ex. Executive Officer, Gram Panchayat, Kallur, in connection with the allegations of certain irregularities committed in the execution of the work "Providing of Cisterns on GLSR Tanks in Weaker Sections' Colony at Kallur Gram Panchayat". In the above-said orders, Government have also appointed the Executive Engineer, Panchayat Raj, Kurnool as Presenting Officer, to present the case before the Enquiry Officer, on behalf of the Government, under Rule 20(5) (C) of Andhra Pradesh Civil Service (C,C&A) Rules, 1991.

2. In the reference 3rd read above, the Engineer-in-Chief, Panchayat Raj, Hyderabad has submitted proposals, stating that after bifurcation of the P.R. Engineering Services into P.R.E.S. and RWS&S Departments, the records pertaining to the above-said work were at RWS&S, Kurnool, as the subject relates to RWS&S Department; that the Charged Officer, Sri D.Abdul Salam, DEE, who was also involved in this case, had worked in RWS Sector as A.E., RWS, Kallur and now retired as DEE, RWS&S, Kurnool in RWS&S Department; that, therefore, the Superintending Engineer, Panchayat Raj, Kurnool, vide his Letter Dated:17.1.2011, has requested to change the Enquiry Officer by appointing the Superintending Engineer, Rural Water Supply & Sanitation, Kurnool as the Enquiry Officer and the Executive Engineer, Rural Water Supply & Sanitation, Kurnool as the Presenting Officer. The Engineer-in-Chief, Panchayat Raj, Hyderabad has, enclosed the Letter of the Superintending Engineer, Panchayat Raj, Kurnool to the Govt.

3. In view of the circumstances reported by the Engineer-in-Chief, Panchayat Raj, Hyderabad in Letter 3rd read above, Government, after careful examination of the matter and in partial modification of the orders issued in the reference 2nd read above, hereby appoint the Superintending Engineer, Rural Water Supply & Sanitation, Kurnool as the Enquiry Officer for conducting Departmental Enquiry against Sri D. Abdul Salam, former AE, RWS, Kallur and Sri C. Kishan Kumar, Ex. Executive Officer, Gram Panchayat, Kallur, in connection with the allegations of certain irregularities committed in the execution of the work "Providing of Cisterns on GLSR Tanks in Weaker Sections' Colony at Kallur Gram Panchayat".

Contd.P.2

::2::

4. Government also hereby appoint the Executive Engineer, Rural Water Supply & Sanitation, Kurnool as the Presenting Officer, to present the case before the Enquiry Officer, appointed in para 3 above, on behalf of the Government, under Rule 20(5) (C) of Andhra Pradesh Civil Service (CC&A) Rules, 1991.

5. The Presenting Officer shall acquaint himself with the facts of the case and present the case, before the Enquiry Officer, effectively. He is also requested to obtain and produce all necessary documents required by the Enquiry Officer, during the course of enquiry.

6. The Enquiry Officer is requested to conduct enquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Service (CC&A) Rules, 1991 and submit his report, as required under sub-rule 18 (ii) of the above said Rule. Copies of Charge Memos issued to the Charged Officers and the Written Statements of Defences submitted by Sri D. Abdul Salam, former Assistant Engineer, RWS, Kallur and the Report of the District Panchayat Officer, Kurnool w.r.t. the non-receipt of Written Statement of Defence from Sri C. Kishan Kumar, Ex. Executive Officer, Gram Panchayat, Kallur, are herewith furnished to the Enquiry Officer, as required under Rule 20(7) of Andhra Pradesh Civil Service (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR. RAJIV SHARMA,
PRINCIPAL SECRETARY TO GOVERNMENT(PR).

To

The Superintending Engineer, Rural Water Supply & Sanitation, Kurnool (W.E's.).

The Executive Engineer, Rural Water Supply & Sanitation, Kurnool(W.E's.)

The individuals concerned through the Engineer-in-Chief(Rural Water Supply & Sanitation), Hyderabad.

Copy to:

The Engineer-in-Chief, Rural Water Supply & Sanitation, Hyderabad (W.E's.) (with a request to serve the copies of this Order to the 2 Charged Officers).

The Engineer-in-Chief, Panchayat Raj, Hyderabad.

SF/SC.

//FORWARDED:: BY ORDER//

SECTION OFFICER